



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 3 N

R 1 W

Township No 3. South of Range No 1 West of the 2nd Mer. Line

69

South Boundary

B.1

- East On the South Boundary of Sec. 36. T. 3. N. R. 1 W.
 Bearings at the cor. of Sec. 35 & 36. T. 3. N. R. 1 W.
 a Logwood 7 in dia' beam N 59 W. 21 lbs dist. to
 Walnut 7 " " N 76 E. 12 " "
 4000 Set a 1/2 suppost from which
 Logwood 7 in dia' beam S 32 W. 5 lbs dist. to
 Elm. 8 " " " N 66 E. 28 " "
 5300 Intersect the East Boundary of the Vincennes Tract, & set
 a post cor. of Sec. 36 & 1. T. 2 & 3. N. R. 1 W. from which
 Logwood 8 in dia' beam S 24 E. 20 lbs dist. to
 Red Oak 7 " " " N 48 E. 25 " "
 Line continued by Arthur Harris from 1/2 suppost.
 on the S. Side of Sec. 36.
 40.10. Intersected the 2nd Meridian 400 lbs North of the cor.
 of T. 2 & 3. N. R. 1 E. & set a post at the intersection from which
 (whole length 80.10) a Elm 20 in dia' beam N 70 W. 11 lbs dist. to
 Oak 30 " " " N 84 E. 26 " "
 This 1/2 mile run good farming land. Timber Oak, Hickory,
 Sugar & Walnut. &c.

- West On the South Boundary of Sec. 35. T. 3. N. R. 1 W.
 4000 Set a 1/2 suppost from which
 Oak 11 in dia' beam. N 70 E. 26 lbs dist. to
 Hickory 18 " " " S 53 W. 24 " "
 8000 Set a post further cor. of Sec. 34 & 35. from which
 Oak 14 in dia' beam S 44 E. 6 lbs dist. to
 Red Oak 7 " " " N 44 W. 6 " "
 Land 1/2 rate Hill. Timber Walnut, Sugar, Hickory,
 Oak &c.

- West On the South Boundary of Sec. 34. T. 3. N. R. 1 W.
 4000 Set a 1/2 suppost from which

T. A. S. N. R. No 1 77th 2nd Mer. Ind.

80.00	<p>Elm. 8 in dia: beam S80 W. 13th dist. to W Oak 7 " " N27 E 4 " "</p> <p>Set a post further on of Sec. 33rd 1831 from which R. Oak 12 in dia: beam S87 W 30th dist. to Mustang 4 " " N53 E 15 " "</p> <p>Land 1st rate hill 2nd rate hill; Timber Oak, &c. last 2nd rate hill some Oak, Gum, ash, Beech, Poplar &c.</p>
West	On the South Boundary of sec. 33. T. S. N. R. 1 st W.
40.00	A B Oak 9 in dia: stands further on of 7 th sec.
53.00	Is a good spring near the height of land
80.00	<p>Set a post further on of Sec. 32nd 1833 from which R. Oak 12 in dia: beam. N66 E. 10th dist. to Sugar 10 " " S58 E. 22 " "</p> <p>Land 1st rate hill, Timber NTR Walnut, Timber Sugar, Hackberry.</p>
West	On the South Boundary of sec. 32 T. S. N. R. 1 st W
40.00	Set a post support from which
80.00	<p>Hick 12 in dia: beam. N40 E. 15th dist. to Do. 7 " " S30 W. 9 " "</p> <p>Set a post further on of sec. 31st 1832 from which Sugar 11 in dia: beam N75 W 32th dist. to Do. 7 " " N22 E. 15 " "</p> <p>Land 3rd rate hill; Timber Oak, &c.</p>
West	On the South Boundary of sec. 31. T. S. N. R. 1 st W
40.00	Set a post support from which
80.00	<p>Sugar 8 in dia: beam S66 E. 26th dist. to Rough 7 " " North 30 " "</p> <p>Set a post further on of Sec. 1.6 31st 1836. S⁵ 24th 34th 42nd W Land 1st rate hill Timber NTR Walnut, Sugar,</p>

T. A. S. N. R. No 1 77th 2nd Mer. Ind.

Blackberry. Heavy Locust The Random fell 100th & I
Imagined by. C. N. Johnson & Aug. Dmo
Dec. 1864. Dept. Sur.

East Boundary.	
North	On a Random line On the East Boundary of sec. 36. T. S. N. R. 1 st W.
40.00	Set a support for support.
80.00	<p>Set a " post further on of sec. 25th 1836. Land level and rich Timber Oak, Hickory & Beech, N. Spruce</p>
North	On a Random line On the East Boundary of sec. 25. T. S. N. R. 1 st W
10.54	<p>Intersect the South Boundary of Harrison's Purchase 400th East of the post on the Meridian & Harrison's Line on off sec. 25.</p>
South	On the line On the East Boundary of sec. 25. T. S. N. R. 1 st W
10.54	<p>Set the support mile post on the line further on of sec. 25th 1836. from which Hickory 12 in dia: beam. N67 E. 36th dist. and do a W Oak 10 " " S87 W. 20 " "</p>
South	On the line On the East Boundary of sec. 36. T. S. N. R. 1 st W.
40.00	Set a post support from which (line line)
80.00	<p>Elm. 7 in dia: beam. N26 E. 19th dist. to Do. 8 " " S86 W. 28 " "</p> <p>Set the support post on the line further on of Sec. 25. 203. N. R. 1 E from which W Oak 10 in dia: beam. S88 E. 17th dist. to Log made for " " N66 W 26 " "</p>

Random

T. N. 3. N. R. No 1 W. 2nd Mer. Ind.

North	On the East Boundary of sec. 25 T. 3. N. R. 1 W. from the post co of sec 25 & 30 on the corner.
38.00	An Elm 10 in dia. stands further co of sec.
78.00	Set a post for the cor of sec 24 & 25 from which a Log mark 7 in dia. bears N 36 W. 19 lks dist; to W Oak 20 " " S 47 W. 44 " " Sands & straty hill; flat ridges; Timber Poplar, R Walnut, Sugar, Oak &c.
North	On the East Boundary of sec. 24 T. 3. N. R. 1 W.
37.75	A log mark 7 in dia. stands for the co of sec 19 & 24 T. 3. N. R. 1 E & 1 W. standing on the corner line. Sands and timber same as last mile.
North	From the corner of sec. 24 & 25. On the East Boundary of sec. 24
40.00	Set a post for the corner from which Kick 10 in dia. bears S 42 W. 7 lks dist; to W Oak 8 " " N 27 W. 14 " "
80.00	Set a post for the co of sec 13 & 24 from which Kick 12 in dia. bears S 85 E. 19 lks dist; to W Oak 12 " " N 69 W. 12 " " Sands good for farming; Timber Oak & Hickory Horned Spruce.
North	On the East Boundary of sec. 13 T. 3. N. R. 1 W.
76.9	Set a W Oak 12 in dia. in the line.
40.00	Set a post for the corner from which Kick 10 in dia. bears S 12 W. 11 lks dist; to Log mark 5 " " N 20 E. 16 " "
72.10	Set a W Oak 30 in dia. in the line.
80.00	Set a post for the co of sec 12 & 13 from which Log mark 8 in dia. bears N 65 E. 9 lks dist; to Hc. 9 " " S 6 W. 10 " " Sands Timber & My same.

T. N. 3. N. R. No 1 W. 2nd Mer. Ind.

North	On the East Boundary of sec. 12 T. 3. N. R. No 1 W.
40.00	Set a post for the corner from which Log mark 6 in dia. bears S 46 E. 10 lks dist; to Kick 10 " " S 49 W. 14 " "
80.00	Set a post for the co of sec 1 & 12 from which Kick 12 in dia. bears S 5 E. 21 lks dist; to W Oak 10 " " N 66 W. 11 " " Sands very bushy Timber Oak, Hickory, Granberry A number of sink holes; no water in them.
North	On the East Boundary of sec. 1 T. 3. N. R. 1 W.
40.00	Set a post for the corner from which W Oak 15 in dia. bears S 8 E. 19 lks dist; to Hc. 18 " " S 62 W. 25 " "
80.00	Set a post for the co of T. 3 N. R. 1 E & 1 W. from which Poplar 11 in dia. bears S 38 W. 13 lks dist; to W Oak 10 " " N 18 E. 33 " " Sands the same
East	On a Random line On the South Boundary of sec. 31 T. 4. N. R. 1 W.
40.00	Set a timber post for support.
80.00	" " post for the co of sec 31 & 32. Sands good for farming My Spruce.
East	On a Random line On the South Boundary of sec. 32 T. 4. N. R. 1 W.
40.00	Set a timber post for support.
80.00	Set a timber post on the third line for co of sec 32 & 33. Sands very bushy Timber Oak & Hickory.
East	On a Random line On the South Boundary of sec. 33

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 3. N. R. N. 177 2nd Mer.	
4000	Set a trap for 2nd post.
8000	" " " post for the ca of 33 & 34 Under the same.
East	On a Random line On the South Bound of 34 T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	" " " post for the ca of 34 & 35. Under the same many sink holes.
East	On a Random line On the South Bound of 35. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a trap for post for the ca of 35 & 36. Under the same.
East	On a Random line On the South Bound of 36. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a trap for the Meridian at the ca of T. N. 3. N. R. 177. Under the same.
West	On the true line On the South Bound of 36. T. N. 3. N. R. 177
4000	Set the trap for 2nd post on the true line from which, Hick 10 in dist. from N 25 E 20 lbs dist; 7 a, Logwood 5 " " S 45 W 20 " "
8000	Set the trap for post on the true line for the ca of 35 & 36. from which, B Oak 18 in dist. from S 69 W 7 lbs dist under a Maple 10 " " S 67 E 28 " "
West	On the true line On the South Bound of 35.

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 3. N. R. N. 177 2nd Mer.	
T. N. 4. N. R. 177	
4000	Set a trap for post from which, Hick 12 in dist. from West 30 lbs dist; 7 a,
8000	Set a post for the ca of 34 & 35 from which, Hick 18 in dist. from N 69 E 11 lbs dist; 7 a, B Walnut 10 " " S 62 W 7 " "
West	On the true line On the South Bound of 34. T. N. 4. N. R. 177
4000	Set a trap for post from which, (true line) W Oak 24 in dist. from N 65 E 25 lbs dist; 7 a, B Oak 24 " " S 17 W 14 " "
8000	Set the trap for post on the true line for the ca of 34 & 35 from which, Hick 12 in dist. from West 58 lbs dist
West	On the true line On the South Bound of 33. T. N. 4. N. R. 177
4000	Set a trap for post on the true line from which, W Oak 10 in dist. from N 10 E 23 lbs dist; 7 a, Cum. 9 " " S 30 W 31 " "
8000	Set a trap for post on the true line from which, (ca. 32 & 33) Cum 10 in dist. from S 78 E 16 lbs dist; 7 a, W Oak 24 " " S 25 E 18 " "
West	On the true line On the South Bound of 32. T. N. 4. N. R. 177
4000	Set a trap for post on the true line from which, Hick 6 in dist. from N 76 W 5 lbs dist; 7 a, Cum. 6 " " S 70 E 12 " "
8000	Set the trap for post on the true line from which, (ca. 31 & 32) Hick 12 in dist. from S 30 W 9 lbs dist; 7 a, Logwood 6 " " N 3 E 12 " "

T. A. H. N. R. No 172nd Mr. Suda.

West
 40.00 Cut the line into the South Boundary of sec. 31.
 T. A. H. N. R.
 86.00 Set a post from which a (line line)
 N Oak. 12 in diam. bears. S 38° N. 18 the dist;
 S 34° E. 11 N. 172 W.
 Surveyed by
 Arthur Kennen. D.S.

West Boundary.

North
 31.50 Cut the East Boundary of sec. 36. T. A. H. N. R. 2 W.
 40.00 To a N Oak. 36 in diam. in the line.
 49.00 A Bech. 12 in diam. stands for the cor of 74th W.
 80.00 To a N Oak. 10 in diam. in the line.
 Set a post for the cor of sec. 25 & 36 from which,
 Sugar. 8 in diam. bears. S 30° N. 22 the dist; to
 Poplar. 7 " " N 19° N. 13. "
 Sando 2nd rate hill; Timber Oak, Some Poplar,
 Sugar, D. T. N. Walnut, &c.

North
 32.50 Cut the East Boundary of sec. 25 T. A. H. N. R. 2 W.
 40.00 To a N Oak. 18 in diam. in the line.
 Set a post from which,
 N Walnut. 7 in diam. bears. N 11° E. 18 the dist; to
 Sassafras 7 " " N 6° N. 14 " "
 73.00 To a N Oak. 36 in diam. in the line.
 80.00 Set a post for the cor of sec. 24 & 25 from which,
 Sugar. 12 in diam. bears N 10° E. 16 the dist; to
 N Oak. 12 " " S 77° N. 30 " "
 Much flat ridge 12th rate.

North
 34.28 Cut the East Boundary of sec. 24. T. A. H. N. R. 2 W.
 40.00 To a N Oak. 24 in diam. stands in the line.
 Set a post from which,

T. A. H. N. R. No 174th Mr. Suda.

Poplar 30 in diam. bears. S 33° E. 21 the dist; to
 Bech. 6 " " " N 51° N. 23. "
 57.65 To a N Oak. 18 in diam. stands in the line.
 80.00 Set a post for the cor of sec. 13 & 24 from which,
 Bech. 6 in diam. bears. N 29° N. 22 the dist; to
 Ho. 18 " " " N 63° E. 32. "
 Sando 2nd rate; Timber Bech. Oak, &c. Upland.

North
 25.60 Cut the East Boundary of sec. 13. T. A. H. N. R. 2 W.
 40.00 To a Bech. 18 in diam. in the line.
 Set a post from which,
 Gum. 20 in diam. bears. North 29 the dist; to
 Dogwood 6 " " " S 8° E. 18. "
 63.30 To a Poplar. 40 in diam. in the line.
 80.00 Set a post for the cor of sec. 12 & 13 from which,
 Bech. 16 in diam. bears. N 22° N. 50 the dist; to
 N Oak. 18 " " " N 76° E. 35. "
 Sando 2nd & 3rd rate upland; Timber Bech. Poplar,
 Oak, &c.

North
 37.13 Cut the East Boundary of sec. 12. T. A. H. N. R. 2 W.
 40.00 To a N Oak. 14 in diam. in the line.
 Set a post from which,
 Bech. 18 in diam. bears. N 81° N. 27 the dist; to
 Sugar. 12 " " " N 37° E. 28 " "
 46.50 Set a post from which, and set a post for the cor. of
 sec. 7 & 12 T. A. H. N. R. 172 W from which,
 Bech. 14 in diam. bears. S 41° N. 26 the dist; to
 Sugar. 11 " " " S 3° E. 16 " "
 Sando 2nd rate upland; Timber Oak, Poplar, Bech.
 & Sugar.

Surveyed by E. W. Supper, 1 Aug. 1880
 Rept. 1st Surv.^r

T. N. 3. N. R. N. 172nd Mer. Inda.

North Oak East Boundary of Sec. 12 T. 3. N. R. 27th from the
 cor of Sec. 12 & 13.
 40.00 Set a 7/8 sap post.
 80.00 Set a post for the cor of sec. 12 & 13 from which,
 Logwood 6 in dia. bears N 16 E. 16 lbs dist; 10,
 Buck. 10 " " " N 6 E. 16 " "
 Sand hills, Timber Buck Oak, Pecan, 177
 Spruce Dogwood & others.

North Oak East Boundary of Sec. 1 T. 3. N. R. 27th.
 40.00 Set a 7/8 sap post from which,
 Logwood 6 in dia. bears N 22 E. 5 lbs dist; 10,
 Immort. 6 " " " N 10 E. 25 "
 80.00 Set a post for the cor of sec. 1 & 2 T. 3. N. R. 27th.
 R. S. N. 172nd Mer. from which,
 Logwood 12 in dia. bears S 22 W. 14 lbs dist; 10,
 Oak 30 " " " N 64 E. 29 "
 Sand the same.

Surveyed by
 Arthur Morris. D.

Subdivisions

North Return Sec. 25 & 26 T. 3. N. R. 17th.
 40.00 Set a 7/8 sap post from which,
 Blechnum 8 in dia. bears N 12 E. 22 lbs dist; 10,
 Hick. " " " N 11 E. 11 "
 80.00 Set a post for the cor of sec. 25, 26, 27 & 28 from which,
 Oak 20 in dia. bears S 39 E. 10 lbs dist; 10,
 Loc 11 " " " N 70 W. 28 "
 Sand 2nd rate Hill Timber Oak, chiefly

East Return Sec. 25 & 26 T. 3. N. R. 17th.
 40.00 A mulberry tree in dia. stands for the cor of p. sec.

T. N. 3. N. R. N. 172nd Mer. Inda.

78.25 Set a post for the cor of sec. 25 & 26 in the Old Boundary
 from which on Sec. 7 in dia. bears S 27 E. 11 lbs dist; 10,
 Poplar 30 in dia. bears N 86 W. 22 lbs dist;
 Sand 1st rate Hill; Timber Sugar, 73 Walnut, Oak &
 East Return Sec. 25 & 26 T. 3. N. R. 17th from post in old
 Indian Boundary
 0.79 Intersect the 2nd principal Meridian. 857 lbs south of the
 mile post Set a post for the cor of sec. 25 & 26 from which,
 Buck 10 in dia. bears S 44 N. 4 lbs dist; 10,
 Logwood 6 " " " N 40 E. 26 "
 N. 23° 18' 06".

North Return Sec. 25 & 26 T. 3. N. R. 17th.
 40.00 Set a 7/8 sap post from which,
 Oak 11 in dia. bears West 19 lbs dist; 10,
 Poplar 7 " " " S E. 10 "
 51.50 To a Oak 24 in dia. in the line.
 80.00 Set a post for the cor of Sec. 23, 24, 25 & 26 from which,
 Oak 10 in dia. bears North 9 lbs dist; 10,
 Poplar 7 " " " S 44 W. 24 "
 Sand & timber same as above

West Return Sec. 24 & 25 T. 3. N. R. 17th.
 40.00 A Logwood 6 in dia. stands for the cor of p. sec.
 80.00 To the post cor. of sec. 23, 24, 25 & 26.
 Sand 1st rate Hill; Timber 73 Walnut, Sugar, Oak
 &c.

North Return Sec. 23 & 24 T. 3. N. R. 17th.
 37.50 To a Oak 24 in dia. in the line.
 40.00 Set a 7/8 sap post from which,
 Elm 8 in dia. bears N 72 E. 25 lbs dist; 10,
 Logwood 7 " " " S 78 W. 14 " "

I No 3 N.R. No 1 W 2nd Mer. Ind.

70.00	To a Gum 8 in dia. stands futher on of sec. 23 & 24 with Boundary line of Harris in Purchase. Sands 2nd rate Gum Sugar, &c. Oak chiefly
North	Return Sur. 23 & 24 I. 3. N.R. 1 W.
36.00	To an Old 7/8 suppost.
40.00	Set a 7/8 suppost from which, W Oak 8 in dia. trees. S 50 W 10 lbs dist, to, N Oak 10, " " N 11 E. 24 " "
80.00	Set a post futher on of sec. 13 & 14. 23 & 24 from which, W Oak 15 in dia. trees. S 77 E 23 lbs dist, to, W Oak 10 " " " N 2 E 10 " " Sands rolling and bushy Timber Oak & Hickory Many sink holes
East	On a Koman line between Sur. 13 & 24. I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost
81.00	Intersect the East Boundary 45 lbs North of the cor. of sec. 13 & 24. Sands same.
West	On the new line between Sur. 13 & 24. I. 3. N.R. 1 W.
40.50	Set the trip 7/8 suppost on the new line from which, W Oak 18 in dia. trees. South 8 lbs dist, to, Logwood 6 " " " N 56 E. 13 " "
81.00	To the cor. of sec. 13 & 14. 23 & 24.
North	Return Sur. 13 & 14 I. 3. N.R. 1 W.
25.00	To a 13 Oak 20 in dia. in the line.
40.00	Set a 7/8 suppost from which, Poplar 10 in dia. trees. N 85 E. 22 lbs dist, to, Cin 8 " " " N 45 E. 22 " "
80.00	Set a post futher on of Sur. 11 12 13 & 14 from which, W Oak 18 in dia. trees. N 23 E. 33 lbs dist, to, Hickory 10 " " " N 27 W. 27 " "

I No 3 N.R. No 1 W 2nd Mer. Ind.

	Sands the same.
East	On a Koman line between Sur. 12 & 13. I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
80.00	Intersect the East Boundary at the cor. of sec. 12 & 13. Sands the same.
West	On the new line between Sur. 12 & 13. I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, W Oak 15 in dia. trees. S 74 E. 9 lbs dist, to, Logwood 8 " " " N 36 W. 23 " "
80.00	To the post in the new line cor. of sec. 11. 12. 13 & 14.
North	Return Sur. 11 & 12 I. 3. N.R. 1 W.
19.50	To a Birch 10 lbs in dia. comes N.E.
40.00	Set a 7/8 suppost from which, Birch 6 in dia. trees. S 49 E. 8 lbs dist, to, Do. 6 " " " N 7 E. 18 " "
80.00	Set a post futher on of sec. 1. 2. 11. & 12 from which, Birch 8 in dia. trees. S 28 E. 14 lbs dist, to, Do. 9 " " " N 84 E. 16 " " Sands flat Timber Oak & Birch Hickory &c.
East	On a Koman line between Sur. 1 & 12 I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
80.00	Intersect the East Boundary 46 lbs North of the cor. of Sur. 1 & 12 of Sands bushy & rolling.
West	On the new line between Sur. 1 & 12 I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, Poplar 30 in dia. trees. N 26 E. 19 lbs dist, to, Logwood 6 " " " S 18 W. 18 " "
80.00	To the cor. of sec. 1. 2. 11 & 12

T. A. 3. N. R. No 177 2nd Mn. Ind.

North Return Dec 1st 1873 J. 3. N. R. 177.
 22.00 To a Poplar 20 in dia. in the tree.
 40.00 Set a post from which,
 W Oak 12 in dia. beam S 87 W. 5 1/2 lbs dist. to
 Hick 16 " " N 1 E. 13 " "
 79.94 Intuseat the N. R. 177 42 lbs East of the post on of
 Dec. 35 1873. J. 3. N. R. 177 and set a post for the cor.
 " 112 from which,
 Maple 10 in dia. beam S 35 E. 14 lbs dist. to
 W. 12 " " S 55 W. 19 " "
 Sand flat.

North Return Dec 34 1873 J. 3. N. R. 177.
 28.66 To a Hick 14 in dia. in the tree.
 40.00 Set a post from which,
 Poplar 7 in dia. beam N 75 E. 17 lbs dist. to
 W Oak 7 " " S 45 W. 13 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam S 37 W. 7 lbs dist. to
 Hick 11 " " N 57 E. 33 " "
 Sand 2nd rate Hill; Timber Oak & Hick

West Return Dec 26 1873 J. 3. N. R. 177.
 40.00 A Dogwood 8 in dia. stands at the ar. dist. in the tree
 line for the cor. of 1/4 sec.
 80.00 Set the post on of sec. 26, 27, 34 & 35.

North Return Dec 26 1873 J. 3. N. R. 177.
 29.00 To a Poplar 24 in dia. stands in the tree.
 40.00 A W Oak 12 in dia. stands for the cor. of 1/4 sec.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam N 47 E. 20 lbs dist. to
 Elm 7 " " N 55 W. 11 " "

T. A. 3. N. R. No 177 2nd Mn. Ind.

Sand and Timber same as above.

West Return Dec 23 1873 J. 3. N. R. 177.
 40.00 A Gum 12 in dia. stands at the ar. dist. in the tree line
 for the cor. of 1/4 sec.
 80.00 Set the post on of sec. 22, 23, 26 & 27.
 Sand 2nd rate Hill; Timber Oak & Dogwood &c.

North Return Dec 22 1873 J. 3. N. R. 177.
 21.00 To a Hick 24 in dia. in the tree.
 40.00 Set a post from which,
 Hick 11 in dia. beam N 47 W. 28 lbs dist. to
 W Cherry 18 " " N 14 E. 8 " "
 32.72 To a Hick 20 in dia. in the tree.
 80.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which,
 Sugar 7 in dia. beam N 24 W. 10 lbs dist. to
 Dogwood 7 " " S 35 E. 20 " "
 Sand soil and timber same as above.

East Return Dec 14 1873 J. 3. N. R. 177.
~~40.00 A W Oak 11 in dia. stands for the cor. of 1/4 sec.~~
 40.00 Set a post.
 48.00 A W Oak 11 in dia. stands for the cor. of Grad. Sec
 14 & 23 on the South B. of Harris vs. Purchase.
 Sand 1st rate soil; Timber Mulberry, W Walnut,
 Hackberry, & Oak &c.

West Return Dec 14 1873 J. 3. N. R. 177.
 40.00 Set a post 1/4 sec. post
 81.18 Intuseat the N 13 line 50 lbs North of the post on of
 Dec 14 1873
 Sand very bushy, Timber Oak & Hick.

North Return Dec 14 1873 J. 3. N. R. 177.

T. A. 3. N. R. No 177 2nd Mn. Ind.

North Return Dec 189 J. 3. N. R. 177.
 22.00 To a Poplar 20 in dia. in the line.
 40.00 Set a post from which,
 W Oak 12 in dia. beam S 87.5 W. 5 lbs. dist. to
 Hick 16 " " N 1 E. 13. "
 79.94 Intersub the A. Bonnet 142 lbs East of the post on of
 Dec 35 & 36 J. 3. N. R. 177 and set a post for the cor.
 119 from which,
 Maple 10 in dia. beam S 35 E. 14 lbs. dist. to
 Do. 12 " " S 35 W. 19 " "
 Land flat.

North Return Dec 34 & 35 J. 3. N. R. 177.
 28.66 To a Hick 14 in dia. in the line.
 40.00 Set a post from which,
 Poplar 7 in dia. beam N 75 E. 17 lbs. dist. to
 W Oak 7 " " S 45 W. 13 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam S 37 W. 7 lbs. dist. to,
 Hick 11 " " N 57 E. 33. "
 Land 2nd rate Hill; Timber Oak & Hick.

West Return Dec 26 & 35 J. 3. N. R. 177.
 40.00 A Dogwood 8 in dia. stands at the corner in the line
 for the cor. of J. 2u.
 80.00 Set a post on of sec. 26, 27, 34 & 35.

North Return Dec 26 & 27 J. 3. N. R. 177.
 29.00 To a Poplar 24 in dia. stands in the line.
 40.00 A W Oak 12 in dia. stands for the cor. of J. 2u.
 80.00 Set a post for the cor. of sec. 24, 25, 26 & 27 from which,
 W Oak 14 in dia. beam N 45 E. 20 lbs. dist. to
 Elm 7 " " S 55 W. 11 " "

T. A. 3. N. R. No 177 2nd Mn. Ind.

Land and Timber same as above.

West Return Dec 23 & 26 J. 3. N. R. 177.
 40.00 A Gum 12 in dia. stands at the cor. dist. in the line
 for the cor. of J. 2u.
 80.00 Set a post on of sec. 22, 23, 26 & 27
 Land 2nd rate hills Timber Oak & Dogwood &c.

North Return Dec 20 & 23 J. 3. N. R. 177.
 21.00 To a Hick 24 in dia. in the line.
 40.00 Set a post from which,
 Hick 11 in dia. beam S 47 W. 38 lbs. dist. to,
 W Cherry 18 " " N 14 E. 5 " "
 52.70 To a Hick 20 in dia. in the line.
 80.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which,
 Sugar 7 in dia. beam N 24 W. 10 lbs. dist. to,
 Dogwood 7 " " S 35 E. 20 " "
 Land soil and timber same. Oak &c.

East Return Dec 14 & 23 J. 3. N. R. 177.
~~40.00 A W Oak 11 in dia. stands for the cor. of J. 2u.~~
 40.00 Set a post.
 48.00 A W Oak 11 in dia. stands for the cor. of Grad Sec
 14 & 23 on the South B. of Harrison's Purchase.
 Land 1st rate soil; Timber Mulberry, W Walnut,
 Hackberry, & Oak &c.

West Return Dec 14 & 23 J. 3. N. R. 177.
 40.00 Set a post for the cor.
 81.18 Intersub the A. 13 line 50 lbs North of the post on of
 Dec 14 & 23
 Land very bushy Timber Oak & Hick.

North Return Dec 14 & 15 J. 3. N. R. 177.

T. A. 3. A. R. A. 177th 2nd Mr. Ind.

18.20	Set a post in Freeman's line fath. cor. of sec 14 & 15 from which Mulberry 8 in dia. beam S 70° W. 29 1/2 k. dist under one Elm 8 " " N 51° W. 27 1/2 " " Sund. R. rate hill Limbu 73 Walnut, Hackberry Oak. &c. &c. December 30. 1806
North 40.00	Between Sec 14 & 15 T. 3. N. R. 177. v. 6.00 Set a post from which, Hick 10 in dia. beam S 55° E. 21 k. dist. to, Oak 15 " " " S 46° W. 14 " " 80.00 Set a post for the cor. of sec 10 11 14 & 15 from which, W Oak 20 in dia. beam S 60° E. 16 k. dist. to, Oak 20 " " " S 76° W. 19 " " Sund. very bushy. Limbu Oak, Hick &c.
East 19.50	Between Sec 11 & 14 T. 3. N. R. 177. Oak Remains In a Brook 15 k. dist. across a 40.00 Set a temporary post 80.56 Intersut the N. 15 line 35 k. South of the post cor. of sec 11 12 13 & 14 Sund. the same.
West 40.28	On the line between Sec 14 & 15 T. 3. N. R. 177. Set the temporary post on the line from which, Poplar 30 in dia. beam S 50° E. 28 k. dist. to, W Oak 20 " " " N 44° W. 17 1/2 " " 80.56 To the post cor. of sec 10 11 14 & 15
North 40.00	Between Sec 10 & 11 T. 3. N. R. 177. Set a post from which, Hick 10 in dia. beam. S 57° W. 54 k. dist. to, Spruce 8 " " " S 10° E. 45 " " 80.00 Set a post for the cor. of Sec 2, 3, 10 & 11 from which, Hick 10 in dia. beam. S 1° E. 52 k. dist. to, W Oak 10 " " " N 73° W. 21 " "

T. A. 3. A. R. A. 177th 2nd Mr. Ind.

	Sund. the same.
East 40.00	On a random line between Sec 2 & 11 T. 3. N. R. 177. Set a temporary post 81.34 Intersut the N. 15 line 27 k. South of the post cor. of sec 1, 2, 11 & 12. Sund. flat Limbu Oak, Poplar, Hick, &c.
West 40.16	On the line between Sec 2 & 11 T. 3. N. R. 177. Set the temporary post on the line at the ar. dist. from which W Oak 12 in dia. beam. N 44° W. 10 k. dist. to, Oak 9 " " " S 33° E. 20 " " 80.30 To the cor. of sec 2, 3, 10 & 11
North 13.25	Between Sec 2 & 3 T. 3. N. R. 177. To a Oak 20 in dia. in the line 40.00 Set a post from which, Spruce 10 in dia. beam. S 21° W. 11 k. dist. to, Buck 18 " " " N 23° W. 24 " " This half mile cor. very bushy Oak, Hick &c. limited land.
64.30	To a Hick 15 in dia. in the line.
81.59	Intersut the A. Boundary 75 k. East of the post cor. of Sec 34 & 35. T. 4. N. R. 177 of set a post fath. cor. of " " 2 & 3 from which, W Oak 20 in dia. beam. S 33° E. 9 k. dist. to, Oak 24 " " " S 53° W. 13 " " Cor. good Oak, Hick & Limbu land
North 40.00	Between Sec 35 & 36 T. 3. N. R. 177. W Oak 16 in dia. beam. for the cor. of 2 & 3 post. 80.00 Set a post for the cor. of sec 27, 28, 35 & 36 from which, Logwood 6 in dia. beam. N 49° E. 17 k. dist. to, W Oak 20 " " " S 40° W. 13 " "

T. N. 3. N. R. N. 1770th Mm. Ind.

	Land 2 nd rate Timber mostly Oak.
West 40.00	Between Sec 27 134 T. 3. N. R. 177. Set a $\frac{1}{2}$ supst at the ar. dist on the true line from whence W Oak 18 in dia ^r bears N 25 E 18 lbs dist and a N Oak 11 " " " S 44 W 18 " "
80.00	To the post co of sec 27 28 23 134
North 40.00	Between Sec 27 134 T. 3. N. R. 177. A B Oak 16 in dia ^r stands for the co of $\frac{1}{2}$ sec. Set a post for the co of sec 21 22 27 138 from which from 12 in dia ^r bears N 84 E 15 lbs dist; or, S 60 W 10 " " S 32 E 42 " "
80.00	Land 2 nd rate Still; Timber Oak chiefly
West 40.00	Between Sec 22 & 27 T. 3. N. R. 177. A W Oak 18 in dia ^r stands for the co of $\frac{1}{2}$ sec. Set a post co of sec 21 22 27 138 Land and timber same as last mile.
North 30.70 40.00	Between Sec 21 & 22 T. 3. N. R. 177. To a W Oak 20 in dia ^r in the line. Set a $\frac{1}{2}$ supst from which, W Oak 10 in dia ^r bears S 44 E 20 lbs dist; or, W Oak 8 " " " N 16 W 26 " "
63.24 80.00	To a Poplar 24 in dia ^r in the line. Set a post for the co of sec 15 16 21 139 from which a W Oak 14 in dia ^r bears S 89 W 29 lbs dist; or, Sugar 10 " " " S 48 W 19 " "
	Land 2 nd rate upland; Timber Oak, Sugar, & Poplar.
West	Between Sec 15 & 22 T. 3. N. R. 177.

T. N. 3. N. R. N. 1770th Mm. Ind.

40.00	A Dogwood 9 in dia ^r stands for the co of $\frac{1}{2}$ sec.
80.00	Intersect the N B line at the post co of sec 15 16 21 139. Timber upland; Timber Sugar, Oak & Poplar, (Pink hols)
North 34.99	Between Sec 15 & 16 T. 3. N. R. 177. To a Hick 30 in dia ^r in the line.
40.00	A Poplar 30 in dia ^r stands for the co of $\frac{1}{2}$ sec.
42.00	Intersect Freeman's line and set a post for the co of $\frac{1}{2}$ sec. Sec 7 15 16 from which, W Oak 12 in dia ^r bears S 50 E 20 lbs dist; or, W Oak 10 " " " S 57 W 8 " "
	Land 1 st rate full Timber Oak, Sugar, & Poplar. (Pink hols)
North 40.00	Between Sec 15 & 16 T. 3. N. R. 177. Set a $\frac{1}{2}$ supst from which, W Oak 20 in dia ^r bears N 65 W 35 lbs dist; or, W Oak 20 " " " N 78 E 37 " "
80.00	Set a post for the co of sec 9 10 15 116 from which, W Oak 12 in dia ^r bears N 55 E 21 lbs dist; or, Dogwood 6 " " " N 86 W 44 " "
	Land very brushy. Timber Oak & Hick.
East 40.00	On a Run am line between Sec 10 & 15 T. 3. N. R. 177. Set a $\frac{1}{2}$ supst temp. post.
81.00	Intersect the N B line. 20 lbs South of the post co of sec 10 11 14 & 15. Land the same.
West 40.50	On the true line between Sec 10 & 15 T. 3. N. R. 177. Set the temp. $\frac{1}{2}$ supst at the ar. dist on the true line from whence from 8 in dia ^r bears S 40 E 12 lbs dist;
81.00	To the co of sec 9 10 15 116.
North	Between Sec 9 & 10 T. 3. N. R. 177.

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

40.00	Set a post from which, Red Oak 20 in air here. S 83 W. 14 the dist; to, Loc. 24 " " " " A 83 E. 28 " "
69.40	To a W Oak. 21 in air in the line.
80.00	Set a post for the cor of Sec. 16. 17. 20 & 21 from which, W Oak 12 in air here. S 2 E. 30 the dist; to, Red Oak. 24 " " " " S 25 E. 41 " " Sands 1st rate hill; Limb. Sugar, Beak & Oak.
West	Between Sec 16 & 21. T. 3. N. R. 17.
40.00	Set a post from which, W Oak 21 in air here. S 80 E. 24 the dist; to, Sugar. 12 " " " " S 80 W. 20 " "
80.00	To the post cor of Sec. 16. 17. 20 & 21. Sands 1st & 2nd rate; Beak & Oak Hill.
North	Between Sec 16 & 17. T. 3. N. R. 17.
37.60	To a Hick 24 in air in the line
40.00	Set a post from which, Sugar. 12 in air here. S 33 W. 32 the dist; to, Loc. 14 " " " " A 87 E. 33 " "
61.00	To a Poplar. 30 in air in the line.
72.00	Intersect the South Boundary of Harrison's purchase or Stramon's line and set a post for the cor of Grad. Sec. 16 & 17 from which, W Oak. 6 in air here. S 38 E. 32 the dist; to, Beak. 6 " " " " S 37 W. 35 " " Sands 2nd rate upland; Limb. Beak, Sugar, &c.
North	Between Sec 16 & 17. T. 3. N. R. 17.
40.00	To the cor.
80.00	Set a post in the line for the cor of Sec. 8. 9. 16 & 17 from

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

	which, Poplar. 10 in air here. A 8 E. 36 the dist; to, Sugar. 12 " " " " S 67 W. 41 " " Sands nothing Limb. Oak, Hick & Poplar.
East	On a Random line between Sec 9 & 16. T. 3. N. R. 17.
40.00	Set a temporary post.
81.25	Intersect the N 15 line. 8 lbs South of the post cor of Sec. 9. 10. 15 & 16. Sands the same.
West	On the line between Sec 9 & 16. T. 3. N. R. 17.
40.60	Set the temporary post on the line at the cor of Sec. from which, W Oak. 12 in air here. East. 64 the dist;
81.25	To the post cor of Sec. 8. 9. 16 & 17.
North	Between Sec 8 & 9. T. 3. N. R. 17.
40.00	Set a post from which, W Oak. 20 in air here. S 31 W. 14 the dist; to, Sugar. 6 " " " " A 67 E. 17 " "
80.00	Set a post for the cor of Sec. 4. 5. 8 & 9 from which, Elm. 8 in air here. S 3 E. 11 the dist; to, W Oak 12 " " " " North 21 " " Sands the same.
East	On a Random line between Sec 4 & 9. T. 3. N. R. 17.
40.00	Set a temporary post.
80.26	Intersect the N 15 line 15 lbs South of the cor of Sec. 3. 4. 7 & 16. Sands the same.
West	On the line between Sec 4 & 9. T. 3. N. R. 17.
40.15	Set the temporary post on the line at the cor of Sec. from which, W Oak 30 in air here. S 80 W. 16 the dist; and a Walnut. 12 " " " " A 65 E. 12 " "
80.26	To the cor of Sec. 4. 5. 8 & 9.

J. N. 3 N. R. N. 177 2nd Mer. Ind.

North	Between Sat 11 45. J. 3. N. R. 177.
40.00	Set a post from which, Oak 24 in dia. here. N 61 E. 20 lbs dist, to, Poplar 30 " " S 31 W 32 " "
81.00	Set out the N Boundary 15 lbs East. of the post on of sat 32 43. J. 4. N. R. 177 and set a post on of sat 4 45 from which, Oak 10 in dia. here. S 70 E. 3 lbs dist, to, Oak 30 " " " S 19 W 18 " "
	Land very good for farming; Timber Hickory Oak & Poplar.
North	Between Sat 31 30 J. 3. N. R. 177.
28.00	To a Poplar 12 in dia. in the line.
40.00	Set a post from which, Sugar 12 in dia. here. S 44 W. 28 lbs dist, to, Oak 12 " " " S 44 E. 33 " "
49.00	To a Honey Locust 18 in dia. in the line.
80.00	Set a post from the corner of sat 29.30.31 & 32 from which, Logwood 7 in dia. here. S 63 W. 15 lbs dist, to, Hickory 7 " " " S 45 E. 32 " "
	Land 1st rate hill; Timber Sugar, Walnut, Oak, honey. Cherry, &c.
West	Between Sat 29 30 J. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 44 W. 20 lbs dist, to, Logwood 7 " " " S 4 E. 9 " "
80.00	To the post on of sat 29.30.31 & 32 Land 2nd rate Hill Timber same as above.
West	Between Sat 30 31 J. 3. N. R. 177.
40.00	Set a post from which,

Comp.

J. N. 3 N. R. N. 177 2nd Mer. Ind.

	Oak 7 in dia. here. S 57 W 8 lbs dist, to, Oak 7 " " " N 36 E 21 " "
80.00	To the post on of sat 25 36. J. 3. N. R. 177 Land 1st rate Hill Timber Walnut, Sugar, Oak, &c.
North	Between Sat 29 30 J. 3. N. R. 177.
28.50	To a Oak. 24 in dia. in the line.
40.00	Set a post from which, Oak 8 in dia. here. N 58 E. 13 lbs dist, to, Hickory 7 " " " S 57 W 8 " "
80.00	Set a post from the corner of sat 29.30.31 & 32 from which, Red Oak 10 in dia. here. N 31 W 36 lbs dist, to, Sugar 12 " " " N 34 E 50 " "
	Land 2nd rate timber same as last mile.
West	Between Sat 20 29 J. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 57 E 15 lbs dist, to, Logwood 6 " " " S 7 W 10 " "
80.00	Set a post from the corner of sat 19.20.29 & 30 Land 1st rate hill; Timber Oak & Oak,
West	Between Sat 19 30 J. 3. N. R. 177.
40.00	Set a post from which, corner marked on a Red Oak 20 in dia.
80.00	Set out the Range line at the corner of sat 24 25. J. 3. N. R. 177. Land 3rd rate Hill; Timber Cherry, Oak,
North	Between Sat 19 30 J. 3. N. R. 177.
24.00	To a Oak. 30 in dia. in the line.
40.00	Set a post from which, Oak 6 in dia. here. N 40 W 20 lbs dist, to, Logwood 8 " " " S 52 E 23 " "

T. N. 3 A.R. N. 177 and M. Ind.

65.70	To a M Oak. 20 in dia in the line.
80.00	Set a post for the end of Sec. 17. 18. 19 from which, Red Oak 30 in dia here. S 57 N 8 the dist. 10, Sticks 10 " " S 5 E 13. " " Lands 2 nd rate Hills Timber Oak, Poplar & Dogwood
41.00	Between Sec 17 & 20. T. 3. N. R. 177.
40.00	Set a post from which, Gum. 12 in dia here. South 28 the dist. 10, Poplar. 6 " " N 57 N 34 " " Lands 3 rd rate Bech. & Oak. Upland.
80.00	Set a post for the end of Sec. 17. 18. 19 & 20. Lands 3 rd rate Bech. & Oak. Upland.
41.00	Between Sec 18 & 19. T. 3. N. R. 177.
40.00	Set a post from which, Red Oak 20 in dia. Lands for the end of Sec. 20. Set out the Range line set the post on of Sec. 13 & 24. T. 3. N. R. 177. Lands 1 st rate upland, Hills Timber Oak & Poplar.
41.00	Between Sec 17 & 18. T. 3. N. R. 177.
12.95	To a M Oak. 15 in dia. Lands in the line.
40.00	Set a post from which, M Oak 12 in dia here. S 57 N 15 the dist. 10, M Oak 10 " " S 45 E 27 " " To a M Oak 20 in dia in the line.
67.40	Set a post for the end of Sec. 7. 8. 17 & 18 from which, Dogwood 12 in dia here. Lands for the end of Sec. 7. 8. 17 & 18. Poplar. 10 " " here. S 57 N 13 the dist. Lands 2 nd rate, Timber Oak, Upland.
41.00	Between Sec 8 & 17. T. 3. N. R. 177.
24.50	From Irons line. Bech. 10 in dia here. S 53 N 55 the dist. 10. 20 " " S 57 N 30 " "

T. N. 3 A.R. N. 177 and M. Ind. 95

17.00	The support minute was taken on a separate piece of paper in a Rain & was so defaced as not to be made
56.70	Set out the N 13 line at the post on of Sec. 7. 8. 17 & 18. Between Sec 8 & 17. T. 3. N. R. 177.
40.00	Set a post.
82.58	Set out the N 13 line at the post on of Sec. 7. 8. 17 & 18. Lands rolling Timber Oak & Bech. & Oak.
41.29	Between Sec 8 & 17. T. 3. N. R. 177.
82.58	Set the support minute at the end of the line from which, M Oak 12 in dia here. West 5 the dist. To the post on of Sec. 8. 9. 16 & 17.
41.00	Between Sec 7 & 8. T. 3. N. R. 177.
14.55	Strike Irons line and set a post for the end of Sec. 7. 8. from which, M Oak 14 in dia here. S 4 E 35 the dist. 10, 10. 20 " " S 67 N 33. " " Lands 2 nd rate Hill land.
41.00	Between Sec 7 & 8. T. 3. N. R. 177.
40.00	Set a post from which, Locust 10 in dia here. S 58 E 17 the dist. 10, Hax 10 " " S 39 E 30 " " To a M Oak 30 in dia in the line.
52.00	To a Bech 10 the end, Corner T. 77.
80.00	Set a post for the end of Sec. 5. 6. 7 & 8 from which, Maple 12 in dia here. S 55 E 13 the dist. 10, 10. 10 " " S 50 N 8 " " Lands flat Timber Bech. Maple, &c.
41.00	Between Sec 7 & 8. T. 3. N. R. 177.
40.00	Set a post from which, 20 in dia here. S 65 N 33 the dist. 10,

